

## THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE APPROVAL GRANTED (1)/APPROVAL EXTENDED (4)/APPROVAL REFUSED (4)/APPROVAL WITHDRAWN (4)/PRODUCTION DEFINITIVELY DISCONTINUED (4) OF A TYPE OF MECHANICAL COUPLING DEVICE OR COMPONENT, PURSUANT TO REGULATION NO 55.01

(E11)

Approval No:

55R-014638

Extension No: Not applicable

1. Trade name or mark of the device or component: V Orlandi S.p.a.

2. Manufacturer's name for the type of device or component: E510

3. Manufacturer's name and address:
V: Orlandi S.p.a.
Via Quinzano 3
25020 Flero – BS
Italy

V. ORLANDI SP.
Va Quinzano n. 3
55020, Flero (Bs) - ITAL
Fil 030/3582722 Fax. 030/358228

COPIA CONFORME ALL'ORIGINALE
DICHIARIAMO DI GARANTIRE L'AUTENTICITA'
E LA VERIDICITA' DI QUANTO RISULTA DAI
JOCUMENTIALLEGATI, ASSUMENDO, AGLI EFFETTI
DELLE VIGENTI DISPOSIZIONI, PIENA E DIRETTA

- 4. If applicable, name and address of the manufacturer's representative. Not applicable
- 5. Alternative supplier's names or trade marks applied to the device or component. Not applicable
- Name and address of company or body taking responsibility for the conformity of production.
   See item 3
- 7. Submitted for approval on: 02 May 2013
- 8. Technical service responsible for conducting approval tests: TÜV SÜD Automotive GmbH

18-Jun-13

9. Brief description: Non-standard 50mm pin diameter drawbar coupling

Type and class of device or component: E510, C50-X

- 9.2. Characteristic values
- 9.2.1. Primary values:

D: 280 kN Dc: 140 kN S: 1000 kg

U: - tonnes V: 90 kN

Alternative values: Not applicable

D: ~ kN

Dc: - kN

S: - kg

U: - tonnes V: - kN



Vehicle manufacturer's maximum permissible vehicle mass: kg Not applicable

Distribution of maximum permissible vehicle mass between the axles: Not applicable

Vehicle manufacturer's maximum permissible towable trailer mass. kg Not applicable

Vehicle manufacturer's maximum permissible static mass on coupling ball kg Not applicable

Maximum mass of the vehicle, with bodywork, in running order, including coolant, oils, fuel, tools and spare wheel (if supplied) but not including driver: kg Not applicable

Loading condition under which the tow ball height of a mechanical coupling device fitted to category M<sub>1</sub> vehicles is to be measured -see paragraph 2 of annex 7, appendix 1

- 9.4. For class B coupling heads, is the coupling head intended to be fitted to an unbraked  $\bigcirc_1$  trailer
- 10. Instructions for the attachment of the coupling device or component type to the vehicle and photographs or drawings of the mounting points given by the vehicle manufacturer.
- 11. Information on the fitting of any special reinforcing brackets or plates or spacing components necessary for the attachment of the coupling device or component: Not applicable
- 12. Additional information where the use of the coupling device or component is restricted to special types of vehicles see annex 5, paragraph 3.4: Not applicable
- 13. For Class K hook type couplings, details of the drawbar eyes suitable for use with the particular hook type: Not applicable



- 14. Date of test report: 03 June 2013
- 15. Number of test report: 13-00395-CX-GBM
- 16. Approval mark position: Manufacturer's plate on the automatic box riveted
- 17. Reason(s) for extension of approval: Not applicable
- 18. Approval GRANTED/EXTENDED/REFUSED/AVITHDRAWN<sup>(1)</sup>
- 19. Place: BRISTOL
- 20. Date: 18 JUNE 2013

1. Signature:

A. W. STENNING

Head of Technical and Quality Support Group

22. The list of documents deposited with the Administration Service which has granted approval is annexed to this communication and may be obtained on request.

Any remarks: Approval to Supplement 03

(1) Strike out what does not apply

V. ORLANDI SPA Via Quinzano n. 3 25026 Flero (Bs) - ITALY Tel. 030/3582722 Fax. 030/3582262

COPIA CONFORME ALL'ORIGINALE
DICHIARIAMO DI GARANTIRE L'AUTENTICITA'
E LA VERIDICITA' DI QUANTO RISULTA DAI
POCUMENTI ALLEGATI, ASSUMENDO, AGLI EFFETTI
DELLE VIGENTI DISPOSIZIONI. PIENA E DIRETTA
RESPONSABILITA'.

