

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE APPROVAL GRANTED (1)/ APPROVAL EXTENDED (1)/ APPROVAL REFUSED (1)/ APPROVAL WITHDRAWN (1)/ PRODUCTION DEFINITIVELY DISCONTINUED (1) OF A TYPE OF MECHANICAL COUPLING DEVICE OR COMPONENT, PURSUANT TO REGULATION NO 55.01

E11

Approval No:

55R-0110047

Extension No: Not applicable

V. ORLANDI SPA
Via Quinzano n. 3
25026 Fiero (Bs) - ITALY
Pol. 030/3582722 Fax. 030/3582262
P. iva e Cod. Fisc. 00273270173

- 1. Trade name or mark of the device or component: V. ORLANDI
- 2. Manufacturer's name for the type of device or component: B2TS
- Manufacturer's name and address:
 V. ORLANDI Spa
 Via Quinzano 3
 25020 FLERO BS
 Italy

COPIA CONFORME ALL'ORIGINALE
DICHIARIAMO DI GARANTIRE L'AUTENTICITA'
E LA VERIDICITA' DI QUANTO RISULTA DAI
DOCUMENTI ALLEGATI, ASSUMENDO, AGLI EFFETTI
DELLE VIGENTI DISPOSIZIONI, PIENA E DIRETTA
RESPONSABILITA'.

- 4. If applicable, name and address of the manufacturer's representative: Not applicable
- 5. Alternative supplier's names or trade marks applied to the device or component: Not applicable
- 6. Name and address of company or body taking responsibility for the conformity of production: Same as 3.
- 7. Submitted for approval on: 18 March 2014
- 8. Technical service responsible for conducting approval tests: TÜV SÜD Auto Service GmbH



kg

COPIA CONFORME ALL'ORIGINALE

9. Brief description: Non-standard mounting plate

9.1. Type and class of device or component: B2TS, J

9.2. Characteristic values:

9.2.1. Primary values:

D: 162 kN	DckN	S kg
U: 15 tonnes	V kN	
Alternative values:		
D kN	Dc kN	S kg
Utonnes	V kN	

9.3. For Class A mechanical coupling devices or components, including towing brackets: Not applicable

Vehicle manufacturer's maximum permissible vehicle mass:

Distribution of maximum permissible vehicle mass between the axles:

Vehicle manufacturer's maximum permissible towable trailer mass:

Vehicle manufacturer's maximum permissible static mass on coupling ball:

Maximum mass of the vehicle, with bodywork, in running order, including coolant, oils, fuel, tools and spare wheel (if supplied) but not including driver:

Loading condition under which the tow ball height of a mechanical coupling device fitted to category M₁ vehicles is to be measured -see paragraph 2 of annex 7, appendix 1:

- 9.4. For class B coupling heads, is the coupling head intended to be fitted to an unbraked O1 trailer YES/NO Not applicable
- 10. Instructions for the attachment of the coupling device or component type to the vehicle and photographs or drawings of the mounting points given by the vehicle manufacturer: See manufacturer's documentation
- 11. Information on the fitting of any special reinforcing brackets or plates or spacing components necessary for the attachment of the coupling device or component: Not applicable
- 12. Additional information where the use of the coupling device or component is restricted to special types of vehicles - see annex 5, paragraph 3.4. Not applicable
- For Class K hook type couplings, details of the drawbar eyes suitable for use with the 13. particular hook type. Not applicable

- 14. Date of test report: 18 March 2014
- 15. Number of test report: 14-00193-CX-GBM
- 16. Approval mark position: Type plate on the component
- 17. Reason(s) for extension of approval: Not applicable
- 18. Approval GRANTED/EXTENDED/REFUSED/WITHDRAWN (1)
- 19. Place: BRISTOL
- 20. Date: 01 MAY 2014
- 21. Signature: A. W. STENNING
 Head of Technical and Quality Support Group
- 22. The list of documents deposited with the Administration Service which has granted approval is annexed to this communication and may be obtained on request.

Any remarks: Approval to Supplement 3

(1) Strike out what does not apply.

COPIA CONFORME ALL'ORIGINALE
DICHIARIAMO DI GARANTIRE L'AUTENTICITA'
E LA VERIDICITA' DI QUANTO RISULTA DAI
DOCUMENTI ALLEGATI, ASSUMENDO, AGLI EFFETTI
DELLE VIGENTI DISPOSIZIONI. PIENA E DIRETTA
RESPONSABILITA'

V. ORLANDI SPA
Via Quinzano n. 3
\$5526 Fiero (Bs) - ITALY
Tel 030/3552722 Fax. 030/3552262
P. iva e Cod. Fisc. 00273270173

